

(2) 主要死因別死亡数・率 (T2-8)

<総数> (令和2)

	総数			悪性新生物			脳血管疾患									心疾患(高血圧症を除く)											
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	<も膜下出血(再掲)>			脳内出血(再掲)			脳梗塞(再掲)			急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)								
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	1,372,755	1,112.5	100.0	378,385	306.6	27.6	102,978	83.5	7.5	11,416	9.3	0.8	31,997	25.9	2.3	56,964	46.1	4.1	205,596	166.6	15.0	30,538	24.7	2.2	36,767	29.8	2.7
岐阜県	22,720	1,132.0	100.0	6,043	305.4	26.6	1,678	84.8	7.4	182	9.2	0.8	530	26.8	2.3	942	47.6	4.1	3,281	165.8	14.4	633	32.0	3.8	279	14.1	1.2
管内総数	2,318	1,050.0	100.0	608	275.4	26.2	190	86.1	8.2	25	11.3	1.1	62	28.1	2.7	101	45.8	4.4	354	160.4	15.3	82	37.1	3.5	28	12.7	1.2
美濃加茂市	507	894.4	100.0	148	261.1	29.2	45	79.4	8.9	10	17.6	2.0	16	28.2	3.2	19	33.5	3.7	64	112.9	12.6	14	24.7	2.8	3	5.3	0.6
可児市	894	894.3	100.0	238	238.1	26.6	60	60.0	6.7	8	8.0	0.9	20	20.0	2.2	31	31.0	3.5	144	144.0	16.1	34	34.0	3.8	12	12.0	1.3
坂祝町	75	929.3	100.0	20	247.8	26.7	7	86.7	9.3	3	37.2	4.0	3	37.2	4.0	1	12.4	1.3	10	123.9	13.3	4	49.6	5.3	-	-	-
富加町	61	1,084.3	100.0	14	248.8	23.0	7	124.4	11.5	1	17.8	1.6	2	35.5	3.3	4	71.1	6.6	9	160.0	14.8	2	35.5	3.3	1	17.8	1.6
川辺町	128	1,298.2	100.0	30	304.3	23.4	11	111.6	8.6	-	-	-	4	40.6	3.1	7	71.0	5.5	21	213.0	16.4	2	20.3	1.6	3	30.4	2.3
七宗町	83	2,439.7	100.0	19	558.5	22.9	7	205.8	8.4	1	29.4	1.2	2	58.8	2.4	4	117.6	4.8	13	382.1	15.7	4	117.6	4.8	2	58.8	2.4
八百津町	190	1,863.7	100.0	37	362.9	19.5	16	156.9	8.4	-	-	-	4	39.2	2.1	12	117.7	6.3	39	382.5	20.5	8	78.5	4.2	2	19.6	1.1
白川町	150	2,023.7	100.0	36	485.7	24.0	11	148.4	7.3	-	-	-	2	27.0	1.3	8	107.9	5.3	16	215.9	10.7	5	67.5	3.3	-	-	-
東白川村	37	1,835.3	100.0	7	347.2	18.9	6	297.6	16.2	1	49.6	2.7	1	49.6	2.7	4	198.4	10.8	4	198.4	10.8	1	49.6	2.7	-	-	-
御嵩町	193	1,101.8	100.0	59	336.8	30.6	20	114.2	10.4	1	5.7	0.5	8	45.7	4.1	11	62.8	5.7	34	194.1	17.6	8	45.7	4.1	5	28.5	2.6

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核		
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	78,450	63.6	5.7	38,133	30.9	2.8	132,440	107.3	9.6	20,243	16.4	1.5	17,688	14.3	1.3	26,948	21.8	2.0	13,902	11.3	1.0	1,909	1.5	0.1
岐阜県	1,231	62.2	5.4	787	39.8	3.5	2,562	129.5	11.3	291	14.7	1.3	232	11.7	1.0	444	22.4	2.0	166	8.4	0.7	37	1.9	0.2
管内総数	141	63.9	6.1	75	34.0	3.2	289	130.9	12.5	37	16.8	1.6	21	9.5	0.9	44	19.9	1.9	12	5.4	0.5	2	0.9	0.1
美濃加茂市	30	52.9	5.9	16	28.2	3.2	51	90.0	10.1	7	12.3	1.4	5	8.8	1.0	10	17.6	2.0	1	1.8	0.2	1	1.8	0.2
可児市	44	44.0	4.9	35	35.0	3.9	100	100.0	11.2	19	19.0	2.1	11	11.0	1.2	20	20.0	2.2	5	5.0	0.6	1	1.0	0.1
坂祝町	6	74.3	8.0	3	37.2	4.0	10	123.9	13.3	-	-	-	1	12.4	1.3	1	12.4	1.3	-	-	-	-	-	-
富加町	7	124.4	11.5	-	-	0.0	10	177.7	16.4	2	35.5	3.3	1	17.8	1.6	1	17.8	1.6	-	-	-	-	-	-
川辺町	7	71.0	5.5	3	30.4	2.3	18	182.6	14.1	-	-	0.0	-	-	4	40.6	3.1	-	-	-	-	-	-	-
七宗町	7	205.8	8.4	2	58.8	2.4	9	264.6	10.8	1	29.4	1.2	1	29.4	1.2	1	29.4	1.2	3	88.2	3.6	-	-	-
八百津町	8	78.5	4.2	4	39.2	2.1	36	353.1	18.9	1	9.8	0.5	1	9.8	0.5	4	39.2	2.1	2	19.6	1.1	-	-	-
白川町	14	188.9	9.3	6	80.9	4.0	31	418.2	20.7	3	40.5	2.0	1	13.5	0.7	1	13.5	0.7	-	-	-	-	-	-
東白川村	7	347.2	18.9	1	49.6	2.7	7	347.2	18.9	2	99.2	5.4	-	-	-	-	-	-	-	-	-	-	-	-
御嵩町	11	62.8	5.7	5	28.5	2.6	17	97.1	8.8	2	11.4	1.0	-	-	-	2	11.4	1.0	1	5.7	0.5	-	-	-

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)
 岐阜県及び市町村：令和2年10月1日現在推計人口(県統計課)
 *2 死因割合：総数に対する死因別の割合(単位：%)

<男> (令和2)

	総数			悪性新生物			脳血管疾患												心疾患(高血圧症を除く)								
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	<も膜下出血(再掲)>			脳内出血(再掲)			脳梗塞(再掲)			急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)								
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2			
全国	706,834	1,178.0	100.0	220,989	368.3	31.3	50,390	84.0	7.1	4,114	6.9	51,425.0	17,790	29.6	2.5	27,218	45.4	3.9	99,304	165.5	14.0	17,922	29.9	2.5	22,272	37.1	3.2
岐阜県	11,506	1,198.0	100.0	3,495	363.9	30.4	786	81.8	6.8	55	5.7	0.5	276	28.7	2.4	446	46.4	3.9	1,514	157.6	13.2	354	36.9	3.1	174	18.1	1.5
管内総数	1,167	1,072.5	100.0	360	330.8	30.8	85	78.1	7.3	5	4.6	0.4	32	29.4	2.7	48	44.1	4.1	160	147.0	13.7	39	35.8	3.3	20	18.4	1.7
美濃加茂市	244	867.1	100.0	88	312.7	36.1	15	53.3	6.1	2	7.1	0.8	5	17.8	2.0	8	28.4	3.3	27	95.9	11.1	9	32.0	3.7	2	7.1	0.8
可児市	478	971.5	100.0	144	292.7	30.1	33	67.1	6.9	2	4.1	0.4	14	28.5	2.9	17	34.6	3.6	75	152.4	15.7	17	34.6	3.6	9	18.3	1.9
坂祝町	37	887.7	100.0	13	311.9	35.1	2	48.0	5.4	1	24.0	2.7	1	24.0	2.7	-	-	0.0	4	96.0	10.8	1	24.0	2.7	-	-	-
富加町	34	1,256.9	100.0	10	369.7	29.4	4	147.9	11.8	-	-	0.0	-	-	-	4	147.9	11.8	4	147.9	11.8	1	37.0	2.9	-	-	-
川辺町	57	1,171.6	100.0	17	349.4	29.8	5	102.8	8.8	-	-	-	2	41.1	3.5	3	61.7	5.3	4	82.2	7.0	1	20.6	1.8	1	20.6	1.8
七宗町	41	2,549.8	100.0	11	684.1	26.8	2	124.4	4.9	-	-	-	-	-	0.0	2	124.4	4.9	5	310.9	12.2	2	124.4	4.9	1	62.2	2.4
八百津町	87	1,773.7	100.0	21	428.1	24.1	9	183.5	10.3	-	-	0.0	2	40.8	2.3	7	142.7	8.0	16	326.2	18.4	3	61.2	3.4	2	40.8	2.3
白川町	75	2,152.1	100.0	20	573.9	26.7	4	114.8	5.3	-	-	0.0	1	28.7	1.3	3	86.1	4.0	6	172.2	8.0	0	-	0.0	-	-	-
東白川村	18	1,867.2	100.0	3	311.2	16.7	2	207.5	11	-	-	-	1	103.7	5.6	1.0	103.7	5.6	4	414.9	22.2	1	103.7	5.6	-	-	-
御嵩町	96	1,094.6	100.0	33	376.3	34.4	9	102.6	9.4	-	-	0.0	6	68.4	6.3	3	34.2	3.1	15	171.0	15.6	4	45.6	4.2	5	57.0	5.2

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核			
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	
全国	44,902	74.8	6.4	21,944	36.6	3.1	35,779	59.6	5.1	13,588	22.6	1.9	11,648	19.4	1.6	13,961	23.3	2.0	7,767	12.9	1.1	1,093	1.8	0.2	
岐阜県	735	76.5	6.4	453	47.2	3.9	701	73.0	6.1	188	19.6	1.6	134	14.0	1.2	214	22.3	1.9	96	10.0	0.8	20	2.1	0.2	
管内総数	80	73.5	6.9	41	37.7	3.5	101	92.8	8.7	25	23.0	2.1	12	11.0	1.0	22	20.2	1.9	8	7.4	0.7	1	0.9	0.1	
美濃加茂市	14	49.7	5.7	11	39.1	4.5	15	53.3	6.1	5	17.8	2.0	3	10.7	1.2	6	21.3	2.5	1	3.6	0.4	-	-	-	
可児市	27	54.9	5.6	15	30.5	3.1	32	65.0	6.7	10	20.3	2.1	5	10.2	1.0	10	20.3	2.1	5	10.2	1.0	1	2.0	0.2	
坂祝町	5	120.0	13.5	2	48.0	5.4	4	96.0	10.8	-	-	-	-	-	-	1	24.0	2.7	-	-	-	-	-	-	
富加町	5	184.8	14.7	-	-	-	3	110.9	8.8	2	73.9	5.9	1	37.0	2.9	-	-	-	-	-	-	-	-	-	-
川辺町	1	20.6	1.8	2	41.1	3.5	6	123.3	10.5	-	-	-	-	-	-	2	41.1	3.5	-	-	-	-	-	-	
七宗町	4	248.8	9.8	2	124.4	4.9	4	248.8	9.8	1	62.2	2.4	1	62.2	2.4	1	62.2	2.4	2	124.4	4.9	-	-	-	
八百津町	4	81.5	4.6	3	61.2	3.4	14	285.4	16.1	1	20.4	1.1	1	20.4	1.1	-	-	-	-	-	-	-	-	-	
白川町	9	258.2	12.0	4	114.8	5.3	14	401.7	18.7	3	86.1	4.0	1	28.7	1.3	1	28.7	1.3	-	-	-	-	-	-	
東白川村	3	311.2	16.7	-	-	-	3	311.2	16.7	2	207.5	11.1	-	-	-	-	-	-	-	-	-	-	-	-	
御嵩町	8	91.2	8.3	2	22.8	2.1	6	68.4	6.3	1	11.4	1.0	-	-	-	1	11.4	1.0	-	-	-	-	-	-	

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)
 岐阜県及び市町村：令和2年10月1日現在推計人口(県統計課)
 *2 死因割合：総数に対する死因別の割合(単位：%)

<女> (令和2年)

	総数			悪性新生物			脳血管疾患									心疾患(高血圧症を除く)											
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	<も膜下出血(再掲)>			脳内出血(再掲)			脳梗塞(再掲)			急性心筋梗塞(再掲)			その他の虚血性心疾患(再掲)								
							実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2			
全国	665,921	1,050.4	100.0	157,396	248.3	23.6	52,588	83.0	7.9	7,302	11.5	1.1	14,207	22.4	2.1	29,646	46.8	4.5	106,292	187.7	16.0	12,616	19.9	1.9	14,495	22.9	2.2
岐阜県	11,214	1,101.2	100.0	2,548	250.2	22.7	892	87.6	8.0	127	12.5	1.1	254	24.9	2.3	496	48.7	4.4	1,767	173.5	15.8	279	27.4	2.5	105	10.3	0.9
管内総数	1,151	1,028.2	100.0	248	221.5	21.5	105	93.8	9.1	20	17.9	1.7	30	26.8	2.6	53	47.3	4.6	194	173.3	16.9	43	38.4	3.7	8	7.1	0.7
美濃加茂市	263	921.3	100.0	60	210.2	22.8	30	105.1	11.4	8	28.0	3.0	11	38.5	4.2	11	38.5	4.2	37	129.6	14.1	5	17.5	1.9	1	3.5	0.4
可児市	416	819.4	100.0	94	185.2	22.6	27	53.2	6.5	6	11.8	1.4	6	11.8	1.4	14	27.6	3.4	69	135.9	16.6	17	33.5	4.1	3	5.9	0.7
坂祝町	38	973.6	100.0	7	179.3	18.4	5	128.1	13.2	2	51.2	5.3	2	51.2	5.3	1	25.6	2.6	6	153.7	15.8	3	76.9	7.9	-	-	-
富加町	27	924.3	100.0	4	136.9	14.8	3	102.7	11.1	1	34.2	3.7	2	68.5	7.4	-	-	-	5	171.2	18.5	1	34.2	3.7	1	34.2	3.7
川辺町	71	1,421.4	100.0	13	260.3	18.3	6	120.1	8.5	-	-	-	2	40.0	2.8	4	80.1	5.6	17	340.3	23.9	1	20.0	1.4	2	40.0	2.8
七宗町	42	2,341.1	100.0	8	445.9	19.0	5	278.7	11.9	1	55.7	2.4	2	111.5	4.8	2	111.5	4.8	8	445.9	19.0	2	111.5	4.8	1	55.7	2.4
八百津町	103	1,947.1	100.0	16	302.5	15.5	7	132.3	6.8	-	-	-	2	37.8	1.9	5	94.5	4.9	23	434.8	22.3	5	94.5	4.9	-	-	-
白川町	75	1,909.9	100.0	16	407.4	21.3	7	178.3	9.3	-	-	-	1	25.5	1.3	5	127.3	6.7	10	254.6	13.3	5	127.3	6.7	-	-	-
東白川村	19	1,806.1	100.0	4	380.2	21.1	4	380.2	21.1	1	95.1	5.3	-	-	-	3	285.2	15.8	-	-	-	-	-	-	-	-	-
御嵩町	97	1,109.1	100.0	26	297.3	26.8	11	125.8	11.3	1	11.4	1.0	2	22.9	2.1	8	91.5	8.2	19	217.2	19.6	4	45.7	4.1	-	-	-

	肺炎			不慮の事故			老衰			自殺			肝疾患			腎不全			糖尿病			結核		
	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2	実数	率*1	死因割合*2
全国	33,548	52.9	5.0	16,189	25.5	2.4	96,661	152.5	14.5	6,655	10.5	1.0	6,040	9.5	0.9	12,987	20.5	2.0	6,135	9.7	0.9	816	1.3	0.1
岐阜県	496	48.7	4.4	334	32.8	3.0	1,861	182.8	16.6	103	10.1	0.9	98	9.6	0.9	230	22.6	2.1	70	6.9	0.6	17	1.7	0.2
管内総数	61	54.5	5.3	34	30.4	3.0	188	167.9	16.3	12	10.7	1.0	9	8.0	0.8	22	19.7	1.9	4	3.6	0.3	1.0	0.9	0.1
美濃加茂市	16	56.0	6.1	5	17.5	1.9	36	126.1	13.7	2	7.0	0.8	2	7.0	0.8	4	14.0	1.5	-	-	-	1	3.5	0.4
可児市	17	33.5	4.1	20	39.4	4.8	68	133.9	16.3	9	17.7	2.2	6	11.8	1.4	10	19.7	2.4	-	-	-	-	-	-
坂祝町	1	25.6	2.6	1	25.6	2.6	6	153.7	15.8	-	-	-	1	25.6	2.6	-	-	-	-	-	-	-	-	-
富加町	2	68.5	7.4	-	-	-	7	239.6	25.9	-	-	-	-	-	-	1	34.2	3.7	-	-	-	-	-	-
川辺町	6	120.1	8.5	1	20.0	1.4	12	240.2	16.9	-	-	-	-	-	-	2	40.0	2.8	-	-	-	-	-	-
七宗町	3	167.2	7.1	-	-	-	5	278.7	11.9	-	-	-	-	-	-	-	-	-	1	55.7	2.4	-	-	-
八百津町	4	75.6	3.9	1	18.9	1.0	22	415.9	21.4	-	-	-	-	-	-	4	75.6	3.9	2	37.8	1.9	-	-	-
白川町	5	127.3	6.7	2	50.9	2.7	17	432.9	22.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
東白川村	4	380.2	21.1	1	95.1	5.3	4	380.2	21.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
御嵩町	3	34.3	3.1	3	34.3	3.1	11	125.8	11.3	1	11.4	1.0	-	-	-	1	11.4	1.0	1	11.4	1.0	-	-	-

*1 率は人口10万対(全国及び県の率は厚生労働省公表値)
 岐阜県及び市町村：令和2年10月1日現在推計人口(県統計課)
 *2 死因割合：総数に対する死因別の割合(単位：%)