

「実施設計書に使用する単価表」(平成25年4月1日) 8月1日改訂箇所

資材名称 【石材単価】

| 品名 | 規格 | 地区名 | 単位 | 改訂前単価 | 改訂単価 | 掲載項 |
|-----------|--------|------|----|-------|-------|-----|
| クラッシャーラン | C-40 | 美濃A | m3 | 2,800 | 3,100 | 3 |
| | | 美濃B | " | 3,150 | 3,450 | " |
| | | 美濃C | " | 3,600 | 3,900 | " |
| | | 可茂A | " | 2,700 | 3,000 | " |
| | | 可茂B | " | 3,150 | 3,450 | " |
| | | 可茂C | " | 4,000 | 4,300 | " |
| | | 多治見A | " | 2,500 | 2,800 | " |
| | | 多治見B | " | 2,950 | 3,250 | " |
| 粒調碎石 | M-40 | 美濃A | m3 | 3,200 | 3,400 | " |
| | | 美濃B | " | 3,550 | 3,750 | " |
| | | 美濃C | " | 4,000 | 4,200 | " |
| | | 可茂A | " | 3,000 | 3,300 | " |
| | | 可茂B | " | 3,450 | 3,750 | " |
| | | 可茂C | " | 4,300 | 4,600 | " |
| | | 多治見A | " | 2,800 | 3,100 | " |
| | | 多治見B | " | 3,250 | 3,550 | " |
| 合材用碎石 | 5-13mm | 美濃A | m3 | 3,700 | 3,900 | " |
| | | 可茂A | " | 3,600 | 3,800 | " |
| | | 多治見A | " | 3,400 | 3,600 | " |
| | | 多治見B | " | 3,850 | 4,050 | " |
| コンクリート用砂 | | 岐阜A | m3 | 3,400 | 3,600 | 4 |
| | | 岐阜B | " | 3,400 | 3,600 | " |
| | | 岐阜C | " | 3,700 | 3,900 | " |
| | | 岐阜D | " | 3,850 | 4,050 | " |
| | | 大垣 | " | 3,400 | 3,600 | " |
| | | 揖斐C | " | 3,700 | 4,000 | " |
| | | 美濃A | " | 3,600 | 3,800 | " |
| | | 美濃B | " | 3,800 | 4,000 | " |
| | | 美濃C | " | 3,800 | 4,000 | " |
| | | 郡上A | " | 3,950 | 4,150 | " |
| | | 郡上B | " | 3,950 | 4,150 | " |
| | | 可茂A | " | 3,700 | 3,950 | " |
| | | 可茂B | " | 3,700 | 3,950 | " |
| | | 可茂C | " | 3,850 | 4,100 | " |
| | | 多治見A | " | 3,700 | 3,950 | " |
| | | 多治見B | " | 3,700 | 3,950 | " |
| | | 恵那A | " | 3,400 | 3,600 | " |
| | | 恵那B | " | 3,400 | 3,600 | " |
| | | 恵那C | " | 3,400 | 3,600 | " |
| | | 下呂A | " | 3,900 | 4,100 | " |
| コンクリート用砂利 | 5-25mm | 岐阜A | m3 | 3,250 | 3,450 | " |
| | | 岐阜B | " | 3,250 | 3,450 | " |
| | | 岐阜C | " | 3,500 | 3,700 | " |
| | | 岐阜D | " | 3,650 | 3,850 | " |
| | | 大垣 | " | 3,250 | 3,450 | " |
| | | 揖斐C | " | 3,600 | 3,800 | " |
| | | 美濃A | " | 3,450 | 3,650 | " |
| | | 美濃B | " | 3,550 | 3,750 | " |
| | | 美濃C | " | 3,550 | 3,750 | " |
| | | 郡上A | " | 3,800 | 4,000 | " |
| | | 郡上B | " | 3,800 | 4,000 | " |
| | | 可茂A | " | 3,600 | 3,800 | " |
| | | 可茂B | " | 3,600 | 3,800 | " |
| | | 可茂C | " | 3,750 | 3,950 | " |
| | | 多治見A | " | 3,600 | 3,800 | " |
| | | 多治見B | " | 3,600 | 3,800 | " |
| | | 下呂A | " | 3,900 | 4,100 | " |

資材名称 【アスファルト合材単価】

| 品名 | 規格 | 地区名 | 単位 | 改訂前単価 | 改訂単価 | 掲載項 |
|------------|---------------|-----|--------|--------|--------|-----|
| アスファルト合材 | 密粒度アスコン 20F | 下呂 | t | 12,600 | 13,800 | 12 |
| | | 下呂 | " | 13,900 | 15,100 | " |
| | | 高山 | " | 13,200 | 14,400 | " |
| | | 高山 | " | 13,800 | 15,000 | " |
| | | 高山 | " | 13,600 | 14,800 | " |
| | | 古川 | " | 13,200 | 14,400 | " |
| | | 古川 | " | 13,700 | 14,900 | " |
| | 密粒度アスコン 13F | 岐阜 | t | 12,400 | 13,500 | " |
| | | 郡上 | " | 13,100 | 13,800 | " |
| | | 郡上 | " | 13,300 | 14,000 | " |
| | | 下呂 | " | 12,800 | 14,300 | " |
| | | 下呂 | " | 12,300 | 13,200 | " |
| | | 下呂 | " | 14,100 | 15,600 | " |
| | | 高山 | " | 13,400 | 14,900 | " |
| | | 高山 | " | 14,000 | 15,500 | " |
| | | 高山 | " | 13,800 | 15,300 | " |
| | | 古川 | " | 13,400 | 14,900 | " |
| | | 古川 | " | 13,900 | 15,400 | " |
| | 開粒度アスコン 13 | 岐阜 | t | 10,900 | 11,700 | " |
| | | 岐阜 | " | 12,000 | 12,800 | " |
| | | 大垣 | " | 10,900 | 11,700 | " |
| | | 美濃 | " | 11,000 | 11,900 | " |
| | | 美濃 | " | 11,400 | 12,300 | " |
| | | 郡上 | " | 12,000 | 13,100 | " |
| | | 郡上 | " | 12,200 | 13,300 | " |
| | | 可茂 | " | 10,500 | 11,400 | " |
| | | 可茂 | " | 11,250 | 12,100 | " |
| | | 多治見 | " | 10,400 | 11,200 | " |
| | | 恵那 | " | 11,200 | 12,100 | " |
| | | 恵那 | " | 11,600 | 12,500 | " |
| | | 下呂 | " | 11,900 | 12,500 | " |
| | | 岐阜 | t | 13,000 | 14,000 | " |
| | 密粒度アスコン 20 改質 | 岐阜 | " | 14,100 | 15,100 | " |
| | | 大垣 | " | 13,000 | 14,000 | " |
| | | 美濃 | " | 13,100 | 14,200 | " |
| | | 美濃 | " | 13,500 | 14,600 | " |
| | | 郡上 | " | 14,100 | 15,400 | " |
| | | 郡上 | " | 14,300 | 15,600 | " |
| | | 可茂 | " | 12,600 | 13,700 | " |
| | | 可茂 | " | 13,350 | 14,400 | " |
| | | 多治見 | " | 12,500 | 13,500 | " |
| | | 恵那 | " | 13,300 | 14,400 | " |
| | | 恵那 | " | 13,700 | 14,800 | " |
| | | 下呂 | " | 14,500 | 15,700 | " |
| | | 下呂 | " | 13,400 | 14,600 | " |
| | | 下呂 | " | 15,800 | 17,000 | " |
| | | 高山 | " | 15,100 | 16,300 | " |
| | | 高山 | " | 15,700 | 16,900 | " |
| | | 高山 | " | 15,500 | 16,700 | " |
| | | 古川 | " | 15,100 | 16,300 | " |
| | | 古川 | " | 15,600 | 16,800 | " |
| | 透水性アスコン 13 | 岐阜 | t | 11,500 | 12,300 | " |
| | | 岐阜 | " | 12,600 | 13,400 | " |
| | | 大垣 | " | 11,500 | 12,300 | " |
| | | 美濃 | " | 11,600 | 12,500 | " |
| | | 美濃 | " | 12,000 | 12,900 | " |
| | | 郡上 | " | 12,600 | 13,700 | " |
| | | 郡上 | " | 12,800 | 13,900 | " |
| | | 可茂 | " | 11,100 | 12,000 | " |
| | | 可茂 | " | 11,850 | 12,700 | " |
| | | 多治見 | " | 11,000 | 11,800 | " |
| | | 恵那 | " | 11,800 | 12,700 | " |
| | | 恵那 | " | 12,200 | 13,100 | " |
| | | 下呂 | " | 13,000 | 14,200 | " |
| | | 下呂 | " | 14,300 | 15,500 | " |
| | | 高山 | " | 13,600 | 14,800 | " |
| | | 高山 | " | 14,200 | 15,400 | " |
| 高山 | | " | 14,000 | 15,200 | " | |
| 古川 | | " | 13,600 | 14,800 | " | |
| 古川 | | " | 14,100 | 15,300 | " | |
| 排水性アスコン 20 | 岐阜 | t | 16,300 | 17,700 | " | |
| | 大垣 | " | 16,300 | 17,700 | " | |
| | 揖斐 | " | 16,600 | 17,500 | " | |
| 排水性アスコン 13 | 岐阜 | t | 16,400 | 17,800 | " | |
| | 大垣 | " | 16,400 | 17,800 | " | |
| | 揖斐 | " | 16,700 | 17,600 | " | |
| | | 下呂 | " | 17,500 | 18,400 | " |

| | | | | | | | |
|------------|-------------|-------------|--------|--------|--------|--------|---|
| アスファルト再生合材 | 密粒度アスコン 20 | 岐阜 | t | 10,200 | 10,800 | 13 | |
| | | 岐阜 | " | 11,300 | 11,900 | " | |
| | | 大垣 | " | 10,200 | 10,800 | " | |
| | | 揖斐 | " | 10,500 | 11,500 | " | |
| | | 揖斐 | " | 11,300 | 12,300 | " | |
| | | 美濃 | " | 10,300 | 11,000 | " | |
| | | 美濃 | " | 10,700 | 11,400 | " | |
| | | 可茂 | " | 9,800 | 10,500 | " | |
| | | 可茂 | " | 10,550 | 11,200 | " | |
| | | 多治見 | " | 9,700 | 10,300 | " | |
| | | 恵那 | " | 10,500 | 11,200 | " | |
| | | 恵那 | " | 10,900 | 11,600 | " | |
| | | 下呂 | " | 12,300 | 13,300 | " | |
| | | 下呂 | " | 11,200 | 12,200 | " | |
| | | 下呂 | " | 13,600 | 14,600 | " | |
| | | 高山 | " | 12,900 | 13,900 | " | |
| | | 高山 | " | 13,500 | 14,500 | " | |
| | | 高山 | " | 13,300 | 14,300 | " | |
| | | 古川 | " | 12,900 | 13,900 | " | |
| | | 古川 | " | 13,400 | 14,400 | " | |
| | 密粒度アスコン 13 | 岐阜 | t | 10,400 | 11,100 | " | |
| | | 岐阜 | " | 11,500 | 12,200 | " | |
| | | 大垣 | " | 10,400 | 11,100 | " | |
| | | 揖斐 | " | 10,700 | 11,800 | " | |
| | | 揖斐 | " | 11,500 | 12,600 | " | |
| | | 美濃 | " | 10,500 | 11,300 | " | |
| | | 美濃 | " | 10,900 | 11,700 | " | |
| | | 可茂 | " | 10,000 | 10,800 | " | |
| | | 可茂 | " | 10,750 | 11,500 | " | |
| | | 多治見 | " | 9,900 | 10,600 | " | |
| | | 恵那 | " | 10,700 | 11,500 | " | |
| | | 恵那 | " | 11,100 | 11,900 | " | |
| | | 下呂 | " | 12,700 | 13,800 | " | |
| | | 下呂 | " | 11,600 | 12,700 | " | |
| | | 下呂 | " | 14,000 | 15,100 | " | |
| | | 高山 | " | 13,300 | 14,400 | " | |
| | | 高山 | " | 13,900 | 15,000 | " | |
| | | 高山 | " | 13,700 | 14,800 | " | |
| | | 古川 | " | 13,300 | 14,400 | " | |
| | | 古川 | " | 13,800 | 14,900 | " | |
| | 密粒度アスコン 20F | 下呂 | t | 12,600 | 13,800 | " | |
| | | 下呂 | " | 11,500 | 12,700 | " | |
| | | 下呂 | " | 13,900 | 15,100 | " | |
| | | 高山 | " | 13,200 | 14,400 | " | |
| | | 高山 | " | 13,800 | 15,000 | " | |
| | | 高山 | " | 13,600 | 14,800 | " | |
| | | 古川 | " | 13,200 | 14,400 | " | |
| | | 古川 | " | 13,700 | 14,900 | " | |
| | | 密粒度アスコン 13F | 岐阜 | t | 11,600 | 12,500 | " |
| | | | 揖斐 | " | 12,200 | 12,900 | " |
| | 下呂 | | " | 12,800 | 14,300 | " | |
| | 下呂 | | " | 12,300 | 13,200 | " | |
| 下呂 | " | | 14,100 | 15,600 | " | | |
| 高山 | " | | 13,400 | 14,900 | " | | |
| 高山 | " | | 14,000 | 15,500 | " | | |
| 高山 | " | | 13,800 | 15,300 | " | | |
| 古川 | " | | 13,400 | 14,900 | " | | |
| 古川 | " | | 13,900 | 15,400 | " | | |
| 粗粒度アスコン 20 | 揖斐 | t | 10,400 | 11,200 | " | | |
| | 揖斐 | " | 11,200 | 12,000 | " | | |
| | 都上 | " | 11,200 | 11,900 | " | | |
| | 都上 | " | 11,400 | 12,100 | " | | |
| | 可茂 | " | 9,700 | 10,200 | " | | |
| | 下呂 | " | 12,000 | 12,800 | " | | |
| | 下呂 | " | 10,900 | 11,700 | " | | |
| | 下呂 | " | 13,300 | 14,100 | " | | |
| | 高山 | " | 12,600 | 13,400 | " | | |
| | 高山 | " | 13,200 | 14,000 | " | | |
| | 高山 | " | 13,000 | 13,800 | " | | |
| | 古川 | " | 12,600 | 13,400 | " | | |
| 古川 | " | 13,100 | 13,900 | " | | | |

| | | | | | | |
|---------------|-------------|--------|--------|--------|--------|----|
| アスファルト再生合材 | 細粒度アスコン 13 | 岐阜 | t | 11,000 | 11,800 | 13 |
| | | 岐阜 | 〃 | 12,100 | 12,900 | 〃 |
| | | 大垣 | 〃 | 11,000 | 11,800 | 〃 |
| | | 揖斐 | 〃 | 11,900 | 12,500 | 〃 |
| | | 揖斐 | 〃 | 12,100 | 13,300 | 〃 |
| | | 美濃 | 〃 | 11,100 | 12,000 | 〃 |
| | | 美濃 | 〃 | 11,500 | 12,400 | 〃 |
| | | 可茂 | 〃 | 10,600 | 11,500 | 〃 |
| | | 可茂 | 〃 | 11,350 | 12,200 | 〃 |
| | | 多治見 | 〃 | 10,500 | 11,300 | 〃 |
| | | 下呂 | 〃 | 13,500 | 14,600 | 〃 |
| | | 下呂 | 〃 | 12,400 | 13,500 | 〃 |
| | | 下呂 | 〃 | 14,800 | 15,900 | 〃 |
| | | 高山 | 〃 | 14,100 | 15,200 | 〃 |
| | | 高山 | 〃 | 14,700 | 15,800 | 〃 |
| | | 高山 | 〃 | 14,500 | 15,600 | 〃 |
| | | 古川 | 〃 | 14,100 | 15,200 | 〃 |
| | 古川 | 〃 | 14,600 | 15,700 | 〃 | |
| | 岐阜 | t | 9,500 | 10,100 | 〃 | |
| | 岐阜 | 〃 | 10,600 | 11,200 | 〃 | |
| | 大垣 | 〃 | 9,500 | 10,100 | 〃 | |
| | 揖斐 | 〃 | 9,800 | 10,800 | 〃 | |
| | 揖斐 | 〃 | 10,600 | 11,600 | 〃 | |
| | 美濃 | 〃 | 9,600 | 10,300 | 〃 | |
| | 美濃 | 〃 | 10,000 | 10,700 | 〃 | |
| | 郡上 | 〃 | 10,600 | 11,500 | 〃 | |
| | 郡上 | 〃 | 10,800 | 11,700 | 〃 | |
| | 可茂 | 〃 | 9,100 | 9,800 | 〃 | |
| | 可茂 | 〃 | 9,850 | 10,500 | 〃 | |
| | 多治見 | 〃 | 9,000 | 9,600 | 〃 | |
| | 恵那 | 〃 | 9,700 | 10,500 | 〃 | |
| | 恵那 | 〃 | 10,100 | 10,900 | 〃 | |
| | 下呂 | 〃 | 11,400 | 12,400 | 〃 | |
| | 下呂 | 〃 | 10,300 | 11,300 | 〃 | |
| 下呂 | 〃 | 12,700 | 13,700 | 〃 | | |
| 高山 | 〃 | 12,000 | 13,000 | 〃 | | |
| 高山 | 〃 | 12,600 | 13,600 | 〃 | | |
| 高山 | 〃 | 12,400 | 13,400 | 〃 | | |
| 古川 | 〃 | 12,000 | 13,000 | 〃 | | |
| 古川 | 〃 | 12,500 | 13,500 | 〃 | | |
| 附着性改善改質アスファルト | 密粒度アスコン 20 | 美濃 | t | 17,200 | 18,100 | 14 |
| | | 郡上 | 〃 | 18,200 | 19,300 | 〃 |
| | | 郡上 | 〃 | 18,400 | 19,500 | 〃 |
| | | 可茂 | 〃 | 16,700 | 17,600 | 〃 |
| | | 恵那 | 〃 | 17,400 | 18,300 | 〃 |
| | | 恵那 | 〃 | 17,800 | 18,700 | 〃 |
| | | 下呂 | 〃 | 18,600 | 19,600 | 〃 |
| | | 下呂 | 〃 | 17,500 | 18,500 | 〃 |
| | | 下呂 | 〃 | 19,900 | 20,900 | 〃 |
| | | 高山 | 〃 | 19,200 | 20,200 | 〃 |
| | | 高山 | 〃 | 19,800 | 20,800 | 〃 |
| | | 高山 | 〃 | 19,600 | 20,600 | 〃 |
| | | 古川 | 〃 | 19,200 | 20,200 | 〃 |
| | | 古川 | 〃 | 19,700 | 20,700 | 〃 |
| | | 岐阜 | t | 17,200 | 18,200 | 〃 |
| | | 大垣 | 〃 | 17,200 | 18,200 | 〃 |
| | | 美濃 | 〃 | 17,300 | 18,400 | 〃 |
| | 郡上 | 〃 | 18,300 | 19,600 | 〃 | |
| | 郡上 | 〃 | 18,500 | 19,800 | 〃 | |
| | 可茂 | 〃 | 16,800 | 17,900 | 〃 | |
| | 可茂 | 〃 | 17,550 | 18,600 | 〃 | |
| | 多治見 | 〃 | 16,700 | 17,700 | 〃 | |
| | 恵那 | 〃 | 17,500 | 18,600 | 〃 | |
| | 恵那 | 〃 | 17,900 | 19,000 | 〃 | |
| | 下呂 | 〃 | 19,000 | 20,100 | 〃 | |
| | 下呂 | 〃 | 17,900 | 19,000 | 〃 | |
| | 下呂 | 〃 | 20,300 | 21,400 | 〃 | |
| | 高山 | 〃 | 19,600 | 20,700 | 〃 | |
| | 高山 | 〃 | 20,200 | 21,300 | 〃 | |
| | 高山 | 〃 | 20,000 | 21,100 | 〃 | |
| | 古川 | 〃 | 19,600 | 20,700 | 〃 | |
| | 古川 | 〃 | 20,100 | 21,200 | 〃 | |
| | 密粒度アスコン 20F | 下呂 | t | 17,900 | 18,800 | 〃 |
| | 密粒度アスコン 13F | 下呂 | t | 19,400 | 20,400 | 〃 |
| | | 下呂 | 〃 | 18,300 | 19,300 | 〃 |
| | | 高山 | 〃 | 20,000 | 21,000 | 〃 |
| | 粗粒度アスコン 20 | 古川 | 〃 | 20,000 | 21,000 | 〃 |
| | | 岐阜 | t | 15,800 | 17,000 | 〃 |
| | | 大垣 | 〃 | 15,800 | 17,000 | 〃 |
| | | 美濃 | 〃 | 15,900 | 17,200 | 〃 |
| | | 可茂 | 〃 | 15,400 | 16,700 | 〃 |
| | | 可茂 | 〃 | 16,150 | 17,400 | 〃 |
| | | 多治見 | 〃 | 15,300 | 16,500 | 〃 |
| | 恵那 | 〃 | 16,100 | 17,400 | 〃 | |
| | 恵那 | 〃 | 16,500 | 17,800 | 〃 | |